



Milam Plumbing Service

Residential Water Treatment

Experience the Luxury of Pure, Refined Water with Milam Plumbing

At Milam Plumbing, we believe every home deserves the elegance of crystal-clear, perfectly balanced water. Our premium residential water treatment systems combine cutting-edge filtration with expert craftsmanship to deliver water that's as pure as it is indulgent. From silky showers to spotless glassware and gourmet-grade drinking water, Milam Plumbing transforms everyday routines into refined experiences. Trust our professionals to elevate your home's water quality — because true luxury begins with the essentials.

Milam Plumbing Inc. - 9545 Ploof Rd. SE, Leland, NC 28451 - (910) 518-8138



Whole Home Filtration

Unleash the Power of Pure Water with the Monstr Flow Carbon Filter

Transform your home's water experience with the unmatched performance of **Milam Plumbing's Monstr Flow Carbon Filter** — engineered for those who demand excellence. With high-capacity filtration and exceptional flow rates, this system effortlessly removes chlorine, unpleasant tastes, and odors, delivering crisp, clean water from every tap. Enjoy the difference in every pour, every shower, every moment. Built for durability and designed for luxury, the Monstr Flow redefines what it means to have truly premium water.



Carbon Block Filters for Taste/ Odor Removal & Sediment

General Specifications	CT-03-CB	CT-20-CB	CT-03-CB-AMINE
Micron Rating	3	20	3
Treatment Description	Chlorine / Sediment	Chlorine / Sediment	Chlorine / Sediment / Chloramine
Max Flow Rate / psi drop	25 gpm / 4 psi	25 gpm / 3 psi	25 gpm / 4 psi
Estimated Gallon Capacity	250,000 gallons of water @ 15 gpm with greater than 90% reduction, estimated capacity using 2ppm of free chlorine	150,000 gallons of water with 90% reduction using 2.0 ppm free chlorine at 7 gpm.	50,000 gallons of water with 85% reduction of chloramine @ 7 gpm.

CT-20-CB Professionally installed from \$2,457.74

CT-03-CB Professionally installed from \$2,505.75

CT-03-CB-AMINE Professionally installed from \$2,568.90



Luxurious Soft Water

Experience the Soft Touch of Pure Comfort with Milam's City Water Softener

Say goodbye to hard water headaches and hello to effortless luxury. **Milam's City Water Softener** is expertly engineered to eliminate hardness minerals that cause scale buildup, dry skin, and dull laundry — delivering silky-smooth water throughout your home. Enjoy longer-lasting appliances, spotless dishes, and the comfort of softer skin and hair, all while saving energy and protecting your plumbing. Compact, efficient, and built to last, the City Water Softener turns ordinary water into an extraordinary daily experience.



General Specifications	DSC32-3	DSC48-3
Softening Capacity / lbs salt used**	27,000 / 9	40,000 / 15
Exchange Resin (cu. ft. per tank)	1.0	1.5
Catalytic Carbon Media	.5 cu. ft.	1 cu. ft.
Maximum Raw Water Hardness (gpg)	75	100
Maximum Raw Water Iron (ppm)	5	5
Service Flow Rate* (gpm)	5	8
Intermittent Flow Rate (gpm)	7	10
Backwash Flow Rate (gpm)	2.4	3.5
Mineral Tank Size (inches)	10 x 54	13 x 54
Gallon Used / Regeneration	81	105
Space Required	16 x 28 x 62	16 x 31 x 73
Approximate Shipping Weight (lbs)	130	240

DSC-32-3 Professionally installed from \$3,114.00

DSC-48-3 Professionally installed from \$3,866.46



Crystal Clear Hydration

Experience the Art of Pure Water — with Milam Plumbing's Reverse Osmosis System

At Milam Plumbing, we believe true luxury starts with the essentials — and nothing is more essential than pure, great-tasting water. Our **Reverse Osmosis systems** bring advanced filtration technology directly to your tap, removing up to 99% of impurities, including chlorine, lead, pesticides, fluoride, pharmaceuticals, arsenic and bacteria. The result? Water so clean, crisp, and refreshing it redefines your daily routine. From your morning coffee to your favorite recipes, enjoy the peace of mind and sophistication that only Milam Plumbing can deliver.

Milam Plumbing — Where Purity Meets Perfection.



Model	D-RO
Dispenser Pump Flow Rate	0.6 gpm
Production Rate	75 gallons per day
Efficiency Rating	1:1 (most RO filters are 4:1)
Maximum TDS	1000 ppm
Drain (reject water) Flow	0.1 GPM (only while filtering)
Storage Tank Capacity	2.1 gallons
Dimensions	14.5" X 8.5" X 15"
Weight	22 lbs

Professionally installed from \$2,146.00